

Tên hàng			In (A)		Mô tả	Đơn giá (VNĐ)
Starvert iE5 1 Pha 200~300VAC			HD	ND	: V/f control, fixed keypad	
 iE5-2	SV001IE5-1	0.1KW	0.8A	-	0.1kW(1/8HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,780,000.00
	SV002IE5-1	0.2KW	1.4A	-	0.2kW(1/4HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,880,000.00
	SV004IE5-1	0.4KW	2.5A	-	0.4kW(1/2HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,950,000.00
	SV001IE5-1C	0.1KW	0.8A	-	0.1kW(1/8HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, Built-in RS485(Modbus RTU)	1,950,000.00
	SV002IE5-1C	0.2KW	1.4A	-	0.2kW(1/4HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, Built-in RS485(Modbus RTU)	2,010,000.00
	SV004IE5-1C	0.4KW	2.5A	-	0.4kW(1/2HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, Built-in RS485(Modbus RTU)	2,110,000.00
Starvert iE5 3 Pha 200~300VAC			HD	ND	: V/f control, fixed keypad	
 iE5-2	SV001IE5-2	0.1KW	0.8A	-	0.1kW(1/8HP), 3 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,880,000.00
	SV002IE5-2	0.2KW	1.6A	-	0.2kW(1/4HP), 3 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,950,000.00
	SV004IE5-2	0.4KW	1.14A	-	0.4kW(1/2HP), 3 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	2,050,000.00
	SV001IE5-2C	0.1KW	0.8A	-	0.1kW(1/8HP), 3 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, Built-in RS485(Modbus RTU)	2,010,000.00
	SV002IE5-2C	0.2KW	1.6A	-	0.2kW(1/4HP), 3 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, Built-in RS485(Modbus RTU)	2,080,000.00
	SV004IE5-2C	0.4KW	1.14A	-	0.4kW(1/2HP), 3 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, Built-in RS485(Modbus RTU)	2,180,000.00
Starvert iC5 1 Pha 200~230VAC			HD	ND	: V/f, sensorless vector control, fixed keypad	
 iC5-1	SV004iC5-1	0.4KW	2.5A	-	0.4kW(1/2HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	2,580,000.00
	SV008iC5-1	0.75KW	5A	-	0.75kW(1HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	2,740,000.00
	SV015iC5-1	1.5KW	8A	-	1.5kW(2HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	3,240,000.00
	SV022iC5-1	2.2KW	12A	-	2.2kW(3HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	3,530,000.00
	SV004iC5-1F	0.4KW	2.5A	-	0.4kW(1/2HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, Built-in EMC Filter	2,710,000.00
	SV008iC5-1F	0.75KW	5A	-	0.75kW(1HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, Built-in EMC Filter	2,840,000.00
	SV015iC5-1F	1.5KW	8A	-	1.5kW(2HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, Built-in EMC Filter	3,430,000.00
	ISV022iC5-1F	2.2KW	12A	-	2.2kW(3HP), 1 phase, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, Built-in EMC Filter	3,760,000.00
Starvert iG5A (Standard type) 1 Phase 200~230VAC			HD	ND	V/f, sensorless vector control, built-in brake unit, RS485 (LS Bus / Modbus RTU)	
 iG5A-1	SV004IG5A-1	0.4KW	2.5A	-	0.4kW(1/2HP), 1 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	3,630,000.00
	SV008IG5A-1	0.75KW	5A	-	0.75kW(1HP), 1 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	3,900,000.00
	SV015IG5A-1	1.5KW	8A	-	1.5kW(2HP), 1 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	4,390,000.00
	SV004IG5A-1FB	0.4KW	2.5A	-	0.4kW(1/2HP), 1 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	3,370,000.00
	SV008IG5A-1FB	0.75KW	5A	-	0.75kW(1HP), 1 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	3,630,000.00
	SV015IG5A-1FB	1.5KW	8A	-	1.5kW(2HP), 1 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	4,130,000.00
Starvert iG5A (Standard type) 3 Phase 200~230VAC			HD	ND	V/f, sensorless vector control, built-in brake unit, RS485 (LS Bus / Modbus RTU)	

Tên hàng			In (A)		Mô tả	Đơn giá (VNĐ)
 iG5A-2	SV004IG5A-2	0.4 KW	2.5A	-	0.4kW(1/2HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	3,300,000.00
	SV008IG5A-2	0.75 KW	5A	-	0.75kW(1HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	3,570,000.00
	SV015IG5A-2	1.5 KW	8A	-	1.5kW(2HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	4,130,000.00
	SV022IG5A-2	2.2KW	12A	-	2.2kW(3HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	4,750,000.00
	SV037IG5A-2	3.7KW	16A	-	3.7kW(5HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	5,380,000.00
	SV040IG5A-2	4KW	17A	-	4.0kW(5.4HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed	5,380,000.00
	SV055IG5A-2	5.5KW	24A	-	5.5kW(7.5HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	8,060,000.00
	SV075IG5A-2	7.5KW	32A	-	7.5kW(10HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	9,010,000.00
	SV110IG5A-2	11KW	46A	-	11kW(15HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	16,540,000.00
	SV150IG5A-2	15KW	60A	-	15kW(20HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	19,080,000.00
	SV185IG5A-2	18.5KW	74A	-	18.5kW(25HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	21,990,000.00
	SV220IG5A-2	22KW	88A	-	22kW(30HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	26,080,000.00
 iG5A-2FB	SV004IG5A-2FB	0.4 KW	2.5A	-	0.4kW(1/2HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	3,040,000.00
	SV008IG5A-2FB	0.75 KW	5A	-	0.75kW(1HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	3,300,000.00
	SV015IG5A-2FB	1.5 KW	8A	-	1.5kW(2HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	3,860,000.00
	SV022IG5A-2FB	2.2KW	12A	-	2.2kW(3HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	4,490,000.00
	SV037IG5A-2FB	3.7KW	16A	-	3.7kW(5HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	5,120,000.00
	SV040IG5A-2FB	4.KW	17A	-	4.0kW(5.4HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	5,120,000.00
	SV055IG5A-2FB	5.5KW	24A	-	5.5kW(7.5HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	7,790,000.00
	SV075IG5A-2FB	7.5KW	32A	-	7.5kW(10HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	8,750,000.00
	SV110IG5A-2FB	11KW	46A	-	11kW(15HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	16,240,000.00
	SV150IG5A-2FB	15KW	60A	-	15kW(20HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	18,790,000.00
	SV185IG5A-2FB	18.5KW	74A	-	18.5kW(25HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	21,690,000.00
	SV220IG5A-2FB	22KW	88A	-	22kW(30HP), 3 phase, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	25,790,000.00
Starvert iG5A (Standard type) 3 Phase 380~480VAC			HD	ND	: V/f, sensorless vector control, built-in brake unit, RS485(LS Bus / Modbus RTU), EMC-filter(Foot print type), Safety Stop, Pulse train	

Tên hàng			In (A)		Mô tả	Đơn giá (VNĐ)
 iG5A-4	SV004IG5A-4	0.4 KW	1.25A	-	0.4kW(1/2HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	3,540,000.00
	SV008IG5A-4	0.75 KW	2.5A	-	0.75kW(1HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	3,740,000.00
	SV015IG5A-4	1.5 KW	4A	-	1.5kW(2HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	4,100,000.00
	SV022IG5A-4	2.2KW	6A	-	2.2kW(3HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	4,670,000.00
	SV037IG5A-4	3.7KW	8A	-	3.7kW(5HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	5,560,000.00
	SV040IG5A-4	4.0KW	9A	-	4.0kW(5.4HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	5,560,000.00
	SV055IG5A-4	5.5KW	12A	-	5.5kW(7.5HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	7,810,000.00
	SV075IG5A-4	7.5KW	16A	-	7.5kW(10HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	8,530,000.00
	SV110IG5A-4	11KW	24A	-	11kW(15HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	14,830,000.00
	SV150IG5A-4	15KW	30A	-	15kW(20HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	16,130,000.00
	SV185IG5A-4	18.5KW	39A	-	18.5kW(25HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	19,150,000.00
	SV220IG5A-4	22KW	45A	-	22kW(30HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, fixed keypad	20,790,000.00
 iG5A-4FB	SV004IG5A-4FB	0.4 KW	1.25A	-	0.4kW(1/2HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	3,300,000.00
	SV008IG5A-4FB	0.75 KW	2.5A	-	0.75kW(1HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	3,510,000.00
	SV015IG5A-4FB	1.5 KW	4A	-	1.5kW(2HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	3,860,000.00
	SV022IG5A-4FB	2.2KW	6A	-	2.2kW(3HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	4,430,000.00
	SV037IG5A-4FB	3.7KW	8A	-	3.7kW(5HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	5,320,000.00
	SV040IG5A-4FB	4.0KW	9A	-	4.0kW(5.4HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	5,320,000.00
	SV055IG5A-4FB	5.5KW	12A	-	5.5kW(7.5HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	7,580,000.00
	SV075IG5A-4FB	7.5KW	16A	-	7.5kW(10HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	8,290,000.00
	SV110IG5A-4FB	11KW	24A	-	11kW(15HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	14,560,000.00
	SV150IG5A-4FB	15KW	30A	-	15kW(20HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	15,870,000.00
	SV185IG5A-4FB	18.5KW	39A	-	18.5kW(25HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	18,580,000.00
	SV220IG5A-4FB	22KW	45A	-	22kW(30HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)	20,210,000.00
Starvert iP5A (based on new flatform) 3 Phase 380~480VAC			HD	ND	: v/f, sensorless vector control, VT drive, RS485(LS Bus)	
	SV055IP5A-4NE	5.5KW		12A	5.5kW(7.5HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	8,660,000.00

Tên hàng			In (A)		Mô tả	Đơn giá (VNĐ)
 iP5A-4 4NE, 4O, 4NO, 4NOL	SV075IP5A-4NE	7.5KW		16A	7.5kW(10HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	9,910,000.00
	SV110IP5A-4NE	11KW		24A	11kW(15HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	10,760,000.00
	SV150IP5A-4NO	15KW		30A	15kW(20HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	16,620,000.00
	SV185IP5A-4NO	18.5KW		39A	18.5kW(25HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	18,410,000.00
	SV220IP5A-4NO	22KW		45A	22kW(30HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	22,770,000.00
	SV300IP5A-4NO	30KW		61A	30kW(40HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	25,780,000.00
	SV370IP5A-4O	37KW		75A	37kW(50HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, built-in keypad	38,580,000.00
	SV450IP5A-4O	45KW		91A	45kW(60HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, built-in keypad	41,870,000.00
	SV220IP5A-4NOL	22KW		45A	22kW(30HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, built-in DC reactor	24,900,000.00
	SV300IP5A-4NOL	30KW		61A	30kW(40HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, DC reactor	28,010,000.00
	SV370IP5A-4OL	37KW		75A	37kW(50HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, built-in keypad, DC reactor	42,840,000.00
Starvert iS7, 3 Phase 380~480VAC			HD	ND	: V/f, V/f PG, sensorless vector, sensored vector, CT/VT dual ratings, built-in RS485 (LS Bus / Modbus RTU)	
 iS7-4NO	SV0008IS7-4NO	0.75 KW	2.5A	4A	0.75kW(1HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz (±5%), 0.01~400Hz, built-in Dynamic braking transistor	7,700,000.00
	SV0015IS7-4NO	1.5 KW	4A	6A	1.5kW(2HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz (±5%), 0.01~400Hz, built-in Dynamic braking transistor	8,050,000.00
	SV0022IS7-4NO	2.2KW	6A	8A	2.2kW(3HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz (±5%), 0.01~400Hz, built-in Dynamic braking transistor	8,440,000.00
	SV0037IS7-4NO	3.7KW	8A	12A	3.7kW(5HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz (±5%), 0.01~400Hz, built-in Dynamic braking transistor	8,650,000.00
	SV0055IS7-4NO	5.5KW	12A	16A	5.5kW(7.5HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz (±5%), 0.01~400Hz, built-in Dynamic braking transistor	9,890,000.00
	SV0075IS7-4NO	7.5KW	16A	24A	7.5kW(10HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz (±5%), 0.01~400Hz, built-in Dynamic braking transistor	10,730,000.00
	SV0110IS7-4NO	11KW	24A	30A	11kW(15HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz (±5%), 0.01~400Hz, built-in Dynamic braking transistor	16,580,000.00
	SV0150IS7-4NO	15KW	30A	39A	15kW(20HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, built-in Dynamic braking transistor	18,360,000.00
	SV0185IS7-4NO	18.5KW	39A	45A	18.5kW(25HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, built-in Dynamic braking transistor	22,700,000.00
	SV0220IS7-4NO	22KW	45A	61A	22kW(30HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz (±5%), 0.01~400Hz, built-in Dynamic braking transistor	25,730,000.00
	SV0300IS7-4NO	30KW	62A	75A	30kW(40HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz	38,450,000.00
	SV0450IS7-4NO	45KW	92A	110A	45kW(60HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz	49,380,000.00
	SV0550IS7-4NO	55KW	111A	152A	55kW(75HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz	54,700,000.00
	SV0110IS7-4NOFI	11KW	24A	30A	11kW(15HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, built-in Dynamic braking transistor, EMC filter, DC reactor	20,830,000.00
	SV0150IS7-4NOFI	15KW	30A	39A	15kW(20HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, built-in Dynamic braking transistor, EMC filter, DC reactor	23,770,000.00

Tên hàng			In (A)		Mô tả	Đơn giá (VNĐ)
	SV0220IS7-4NOD	22KW	45A	61A	22kW(30HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, built-in Dynamic braking transistor, EMC filter, DC reactor	33,220,000.00
	SV0300IS7-4NOD	30KW	65A	75A	30kW(40HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, built-in DC reactor	42,730,000.00
	SV0450IS7-4NOD	45KW	91A	110A	45kW(60HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, built-in DC reactor	56,190,000.00
Starvert option : iP5A, iG5A, iS7						
	SV-IP5A LCD Key pad		LCD display keypad for iP5A			630,000.00
	SV-IS7 LCD Key pad		Graphic LCD display keypad for IS7 (128x64 COG, 11 Rubber Key, 3 LED, IP21) - Multi Languages (English, Italian, Spanish, Russian, Turkish)			1,100,000.00
	Remote cable 2m (SV-IG5A)		2 meter connection cable between inverter and keypad plus a external keypad (Available for panel installation)			600,000.00
	Remote cable 2m (SV-IG5A)		3 meter connection cable between inverter and keypad plus a external keypad (Available for panel installation)			660,000.00
	Remote cable 5m (SV-IG5A)		5 meter connection cable between inverter and keypad plus a external keypad (Available for panel installation)			750,000.00
	Remote cable 2m (IS7)		2 meter connection cable between inverter and keypad, plus Frame for keypad installation on panel door			280,000.00
	Remote cable 3m (IS7)		3 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door			310,000.00
	Remote cable 2m (IP5A)		2 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door			280,000.00
	Remote cable 3m (IP5A)		3 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door			310,000.00

- GHI CHÚ: Giá này chưa bao gồm VAT (10%)

**HD(Heavy Duty) Overload 150% 1min.

**ND(Normal Duty): Overload 110% or 120% 1min